

ASSIGNED

Serial No. 31299

AMENDED

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATED

APR 7 1977

Date of filing in State Engineer's Office

MAY 6 1977

Returned to applicant for correction

Corrected application filed MAY 11 1977 Map filed MAY 11 1977 under 31290

The applicant Southern Pacific Land Company

1 Market Plaza of San Francisco  
Street and No. or P.O. Box No. City or Town

CA 94105, hereby make application for permission to change the  
State and Zip Code No.

Point of Diversion and Place of Use

of water heretofore appropriated under 29023

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

- The source of water is underground  
Name of stream, lake or other source.
- The amount of water to be changed 2.7 cfs  
Second feet, acre feet.
- The water to be used for irrigation  
If for stock state number and kind of animals.
- The water heretofore used for irrigation  
If for stock state number and kind of animals.
- The water is to be diverted at the following point in the NE $\frac{1}{4}$ NE $\frac{1}{4}$  Sec. 29, T.36N., R.34E.,  
MDB&M; or a point from which the NW corner of said Sec. 29 bears  
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be  
N. 70° 07' W. 4469 ft.  
stated.
- The existing point of diversion is located within SW $\frac{1}{4}$ NE $\frac{1}{4}$  Sec. 29, T.36N., R.34E., MDB&M;  
or a point from which the SW corner of Sec. 32, T.36N., R.34E.  
If point of diversion is not changed, do not answer.  
bears S. 23° 08' 20" W. 10,026.6 ft.
- Proposed place of use 17.64 ac. NW $\frac{1}{4}$ NE $\frac{1}{4}$ , 37.70 ac. NE $\frac{1}{4}$ NE $\frac{1}{4}$ , 15.77 ac. SW $\frac{1}{4}$ NE $\frac{1}{4}$ ,  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  
33.87 ac. SE $\frac{1}{4}$ NE $\frac{1}{4}$  all in Sec. 29; 11.80 ac. NW $\frac{1}{4}$ NW $\frac{1}{4}$  and 7.41 ac.  
SW $\frac{1}{4}$ NW $\frac{1}{4}$  Sec. 28, 1.47 ac. SE $\frac{1}{4}$ SE $\frac{1}{4}$  Sec. 20, all in T.36N., R.34E., MDB&M.
- Existing place of use NE $\frac{1}{4}$  Sec. 29, T.36N., R.34E., MDB&M.  
Describe by legal subdivisions. If presently used for irrigation, state number of acres irrigated.
- Use will be from January 1 to December 31 of each year.  
Day and Month Day and Month
- Use has been from January 1 to December 31 of each year.  
Day and Month Day and Month
- Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) well, pump and sprinkling system  
State manner in which water is to be diverted, whether by dam or other works,  
whether through pipes, ditches, flumes, or other conduits.

- 12. Estimated cost of works.....constructed.....
- 13. Estimated time required to construct works.....constructed.....
- 14. Estimated time required to complete the application of water to beneficial use.....completed.....
- 15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

.....Change due to resurvey of Township.....

.....

.....

Compared.....lp/ga.....bl/bc.....Applicant.....Southern Pacific Land Co.....

Pro. overruled 1/23/78

By.....s/ J.R. Caldwell.....

.....J.R. Caldwell.....

.....P.O. Box 432.....

.....Winnemucca, Nevada 89445.....

APPROVAL.....OF STATE ENGINEER.....

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 29023 is issued subject to the terms and conditions imposed in said Permit 29023 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....2.7.....cubic feet per second, but not to exceed a yearly.....duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.....

- Actual construction work shall begin on or before.....July 24, 1978.....
- Proof of commencement of work shall be filed before.....August 24, 1978.....
- Work must be prosecuted with reasonable diligence and be completed on or before.....July 24, 1978.....
- Proof of completion of work shall be filed before.....August 24, 1978.....
- Application of water to beneficial use shall be made on or before.....July 24, 1978.....
- Proof of the application of water to beneficial use shall be filed on or before.....August 24, 1978.....
- Map in support of proof of beneficial use shall be filed on or before.....August 24, 1978.....

Commencement of work filed.....AUG 22 1978.....

Completion of work filed.....AUG 22 1978.....

Proof of beneficial use filed.....AUG 22 1978.....

Cultural map filed.....AUG 22 1978.....

Certificate No. 9524 Issued 2/5/81

Recorded.....Bk.....Page.....

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 24th day of MAY, A.D. 1978.

.....*Roland D. Westergard*.....

State Engineer